

MATERIAL SAFETY DATA SHEET

PRODUCT – HOGSNOT Spit Shine Instant Detailer

October 21, 2008

Section 1 Product & Company Information

MANUFACTURER	HOGSNOT LUBRICANTS CO. INTL 3175 MARTIN RD. COMMERCE TWP, MI, 48390
PHONE NUMBERS	General Information (866) 939-7668 Emergency (Chemtrec) (800) 424-9300
CHEMICAL FORMULA	Mixture
SYNONYMS	Polish, Cleaner

Section 2 Composition / Information on ingredients

GENERIC DESCRIPTION: CAR POLISH/CLEANER
PHYSICAL FORM: LIQUID
COLOR: WHITE/OPAQUE
ODOR: CHARACTERISTIC ODOR/FRAGRANCE

Section 3 Hazards Identification

NFPA PROFILE: HEALTH 1, FLAMMABILITY 0, REACTIVITY 0

EFFECT OF OVEREXPOSURE:

ACUTE EFFECTS:

EYE: NO SIGNIFICANT IRRITATION EXPECTED FROM A SINGLE EXPOSURE.

SKIN: MAY CAUSE MILD IRRITATION.

INHALATION: MAY IRRITATE RESPIRATORY PASSAGES.

ORAL: LOW INGESTION HAZARD IN NORMAL USE.

PROLONGED OR REPEATED EXPOSURE EFFECTS

EYE: REPEATED EXPOSURE MAY CAUSE IRRITATION.

SKIN: REPEATED SKIN CONTACT MAY CAUSE ALLERGIC SKIN REACTION.

INHALATION: OVEREXPOSURE BY INHALATION MAY CAUSE RESPIRATORY IRRITATION.

ORAL: REPEATED INGESTION OR SWALLOWING LARGE AMOUNTS MAY INJURE INTERNALLY.

SIGNS AND SYMPTOMS OF OVEREXPOSURE: NO KNOWN APPLICABLE INFORMATION.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: NO KNOWN APPLICABLE INFORMATION.

THE ABOVE LISTED POTENTIAL EFFECTS OF OVEREXPOSURE ARE BASED ON ACTUAL DATA, RESULTS OF STUDIES PERFORMED ON SIMILAR COMPOSITIONS, COMPONENT DATA AND EXPERT REVIEW OF THE PRODUCT.

Section 4 First-Aid Measures

EYE: IMMEDIATELY FLUSH WITH WATER AND CONSULT A PHYSICIAN.

SKIN: REMOVE FROM SKIN AND IMMEDIATELY FLUSH WITH WATER. CONSULT A PHYSICIAN IF IRRITATION DEVELOPS OR PERSISTS.

INHALATION: REMOVE TO FRESH AIR.

ORAL: GET MEDICAL ATTENTION

Section 5 Fire Fighting Measures

FLASH POINT: >201F OR >93.9C CLOSED CUP AUTO-IGNITION TEMPERATURE : NOT DETERMINED

FLAMMABILITY LIMITS IN AIR: NOT DETERMINED

EXTINGUISHING MEDIA: USE DRY CHEMICAL, FOAM OR WATER SPRAY.

PRODUCT –HOGSNOT Spit Shine Instant Detailer

FIRE FIGHTING MEASURES: SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN INFIGHTING FIRES INVOLVING CHEMICALS. USE WATER SPRAY TO KEEP EXPOSED CONTAINERS COOL. DETERMINE THE NEED TO EVACUATE

OR ISOLATE AREA ACCORDING TO THE LOCAL EMERGENCY PLAN.

UNUSUAL FIRE HAZARDS: NONE

HAZARDOUS DECOMPOSITION PRODUCTS: THERMAL BREAKDOWN OF THIS PRODUCT DURING FIRE OR VERY HIGH HEAT CONDITIONS MAY EVOLVE CARBON OXIDES, SILICON DIOXIDE AND FORMALDEHYDE.

Section 6 Accidental Release Measures

CONTAINMENT AND CLEANUP: DETERMINE WHETHER TO EVACUATE OR ISOLATE THE AREA ACCORDING TO YOUR LOCAL EMERGENCY PLAN. OBSERVE ALL PERSONAL PROTECTION EQUIPMENT RECOMMENDATIONS DESCRIBED IN SECTION 5. FOR LARGE SPILLS PROVIDE DIKE OR OTHER APPROPRIATE CONTAINMENT TO KEEP MATERIAL FROM SPREADING. IF DIKED MATERIAL CAN BE PUMPED, STORE RECOVERED MATERIAL IN APPROPRIATE CONTAINERS. CLEAN UP REMAINING MATERIAL FROM SPILL WITH SUITABLE ABSORBENT. CLEAN AREA AFFECTED WELL, SINCE SILICONE MATERIAL, EVEN IN SMALL QUANTITIES PRESENT SLIP HAZARDS. FINAL CLEANING MAY REQUIRE STEAM, SOLVENTS OR DETERGENTS. DISPOSE OF SATURATED ABSORBENTS OR CLEANING MATERIAL APPROPRIATELY, SINCE SPONTANEOUS HEATING MAY OCCUR. LOCAL STATE AND LOCAL LAWS MAY APPLY TO RELEASES AND DISPOSAL OF THIS MATERIAL. YOU WILL NEED TO DETERMINE WHICH FEDERAL, STATE AND LOCAL LAWS APPLY.

Section 7 Handling & Storage

USE WITH ADEQUATE VENTILATION. AVOID SKIN CONTACT. AVOID BREATHING VAPORS, FUMES, DUSTS OR MIST. KEEP CONTAINER CLOSED. DO NOT TAKE INTERNALLY. USE REASONABLE CARE AND STORE AWAY FROM OXIDIZING MATERIALS.

Section 8 Exposure Controls and Personal Protection

THIS PRODUCT DOES NOT CONTAIN MATERIALS REGULATED UNDER SARA TITLE III SECTION 313

ENGINEERING CONTROLS

LOCAL VENTILATION: RECOMMENDED GENERAL VENTILATION: RECOMMENDED

PERSONAL PROTECTIVE EQUIPMENT FOR ROUTINE HANDLING

EYES: USE PROPER PROTECTION- SAFETY GLASSES WITH SIDE SHIELDS- MINIMUM.

SKIN: CHEMICAL PROTECTIVE GLOVES ARE RECOMMENDED. WASH AT MEAL AND BREAK TIMES AND AT THE END OF SHIFT.

INHALATION: USE RESPIRATORY PROTECTION, UNLESS ADEQUATE VENTILATION IS PROVIDED. SUITABLE

RESPIRATOR IS AN ORGANIC VAPOR/DUST/MIST /FUME TYPE.

PERSONAL PROTECTIVE EQUIPMENT FOR SPILLS

EYES: USE FULL FACE RESPIRATOR

SKIN: CHEMICAL PROTECTIVE GLOVES ARE RECOMMENDED. WASH AT MEAL AND BREAK TIMES AND AT THE END OF SHIFT.

IF SKIN CONTACT OCCURS CHANGE CONTAMINATED CLOTHING AND WASH AFFECTED AREA THOROUGHLY.

INHALATION: USE RESPIRATORY PROTECTION, UNLESS ADEQUATE VENTILATION IS PROVIDED. SUITABLE

RESPIRATOR IS A FULL FACE RESPIRATOR.

Section 9 Physical and Chemical Properties

FLASH POINT >201F OR >93.9C

BOILING POINT 212F OR 100C

SPECIFIC GRAVITY 1.0 @25C

PERCENT VOLATILE 2% (SEE CERTIFICATE OF ANALYSIS FOR EXACT % VOLATILE CONTENT)

VAPOR DENSITY: NOT DETERMINED

pH: 9.0

SOLUBILITY IN WATER: MISCIBLE

PRODUCT –HOGSNOT Spit Shine Instant Detailer

Section 10 Stability and Reactivity

CHEMICALLY STABILITY: STABLE HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

MATERIALS TO AVOID: KEEP AWAY FROM MATERIALS THAT REACT WITH WATER. KEEP AWAY FROM STRONG OXIDIZING AGENTS.

Section 11 Toxicological Information

This product does not contain materials regulated under SARA Title III section 313

Notice to Reader

HogSnot Lubricants Co. Intl., believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. No warranty or fitness for any particular purpose, warranty of merchantability, or any other warranty expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and of the information referred to herein are beyond the control of HogSnot Lubricants Co. HogSnot expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

ADDRESS CONTACT INFORMATION

HOGSNOT LUBRICANTS CO.
3175 MARTIN RD.
COMMERCE TWP, MI,